

Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

Linda Breathitt
Commissioner

September 19, 2014

PARTIES OF RECORD

Re: Case No. 2014-00136

Attached is a copy of a memorandum which is being filed in the record of the above-referenced case. If you have any comments you would like to make regarding the contents of the memorandum please do so within five days of receipt of this letter. If you have any questions, please contact Jonathan Beyer, Commission Counsel, at 502/782-2581.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jeff Derouen".

Jeff Derouen
Executive Director

Attachments

INTRA-AGENCY MEMORANDUM
KENTUCKY PUBLIC SERVICE COMMISSION

TO: Case File – Case No. 2014-00136

FROM: Andrew Melnykovich, Director of Communications

DATE: September 19, 2014

RE: Public Meeting of September 16 and Public Hearing Video Conference of September 17, 2014

A public meeting in Case 2014-00136 was conducted at 6:30 p.m. on Tuesday, September 16, in the parking lot of the Lovelaceville United Methodist Church in Lovelaceville. (The caretaker of the church did not appear as scheduled to unlock the building.)

An attendance sheet is attached. Several people attended but did not sign in. Total attendance was about 15 people.

Andrew Melnykovich of the PSC staff opened the meeting by providing an update on the case and explaining the procedure for the hearing on September 17. He noted that no entity had come forward to express an interest in acquiring or operating the system. Customers in attendance asked a number of questions focused largely on the timing of any abandonment, the options available to customers and the possibility of financial assistance in the event that it becomes necessary for customers to drill wells or install cisterns.

Customers were encouraged to contact the PSC to express their views on an appropriate time frame for any abandonment and transition. They were referred to the local health department and area development district for information on possible sources of financial assistance.

The meeting ended at about 7:15 p.m.

On September 17, 2014, a video conference call was arranged to enable the submission of public comments during the scheduled formal hearing. An attendance sheet is attached.

PUBLIC MEETING - SIGN-IN SHEET

Lovellaceville Water Co. – Case No. 2014-00136

Lovellaceville – Sept. 16, 2014

PLEASE PRINT LEGIBLY

Name

Address

1 Don Amur 122 Numbert Rd Lovellaceville

2 _____

3 _____

4 _____

5 _____

6 _____

7 _____

8 _____

9 _____

10

PUBLIC MEETING - SIGN-IN SHEET

Lovellaceville Water Co. – Case No. 2014-00136

Lovellaceville – Sept. 16, 2014

PLEASE PRINT LEGIBLY

Name

Address

- | | | |
|----|-----------------|---|
| 1 | Kenneth Randles | 8107 Blandville Rd. Lovellaceville, KY |
| 2 | Marilyn Parker | 1056 Cunningham Rd Lovellaceville, Ky 42060 |
| 3 | Roger Parker | 1056 Cunningham Rd Lovellaceville Ky 42060 |
| 4 | Brandie Miller | 2066 Blandville Rd Lovellaceville Ky 42060 |
| 5 | | |
| 6 | | |
| 7 | | |
| 8 | | |
| 9 | | |
| 10 | | |

PUBLIC HEARING (VIDEO CONFERENCE) - SIGN-IN SHEET

Lovellaceville Water Co. – Case No. 2014-00136

Paducah – September 17, 2014

PLEASE PRINT LEGIBLY

Name	Address	DO YOU WISH TO SPEAK?	
1 Shannon McLeary	Dow	YES	<input checked="" type="radio"/> NO
2 David Zoeller		YES	<input checked="" type="radio"/> NO
3 Phyllis Maxwell		YES	<input checked="" type="radio"/> NO
4 Boniana Cinner	WPSD	YES	<input checked="" type="radio"/> NO
5 Jason Thomasen		YES	<input checked="" type="radio"/> NO
6		YES	NO
7		YES	NO
8		YES	NO
9		YES	NO
10		YES	NO